130918

Table 1.66C Major Depressive Episode (MDE) in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Numbers in Thousands, 2005-2011

Demographic Characteristic	2005	2006	2007	2008	2009	2010	2011
TOTAL	408	385	406	406	413	436	414
AGE							
18-25	83	76	78	81	82	85	84
26-49	268	290	255	263	255	262	271
50 or Older	273	255	301	319	300	332	298
GENDER							
Male	231	241	255	241	248	277	245
Female	321	294	313	332	332	328	333
HISPANIC ORIGIN AND RACE							
Not Hispanic or Latino	375	367	383	381	390	406	387
White	335	344	358	370	385	374	372
Black or African American	153	142	132	128	129	124	128
American Indian or Alaska Native	20	25	36	13	17	27	35
Native Hawaiian or Other Pacific Islander	17	15	*	*	*	*	15
Asian	59	56	55	76	60	74	79
Two or More Races	36	58	54	49	45	73	43
Hispanic or Latino	150	115	146	149	145	164	144

^{*}Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Major Depressive Episode (MDE) is defined as in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV), which specifies a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of specified depression symptoms.

NOTE: Respondents with unknown past year MDE data were excluded.

NOTE: Estimates for 2005, 2006, 2007, and 2008 are based on an adjusted MDE variable and may differ from estimates published in prior NSDUH reports. See Section B.4.4 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2005-2011.

130918

Table 1.66D Major Depressive Episode (MDE) in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Standard Errors of Percentages, 2005-2011

Demographic Characteristic	2005	2006	2007	2008	2009	2010	2011
TOTAL	0.19	0.18	0.18	0.18	0.18	0.19	0.18
AGE							
18-25	0.26	0.23	0.24	0.25	0.24	0.25	0.25
26-49	0.27	0.29	0.26	0.27	0.26	0.27	0.28
50 or Older	0.32	0.29	0.34	0.35	0.32	0.35	0.30
GENDER							
Male	0.22	0.23	0.24	0.22	0.23	0.25	0.22
Female	0.29	0.26	0.27	0.29	0.28	0.28	0.28
HISPANIC ORIGIN AND RACE							
Not Hispanic or Latino	0.20	0.19	0.20	0.20	0.20	0.21	0.20
White	0.22	0.22	0.22	0.23	0.23	0.23	0.23
Black or African American	0.58	0.53	0.50	0.48	0.46	0.47	0.48
American Indian or Alaska Native	1.84	2.41	3.13	1.35	1.58	2.47	2.66
Native Hawaiian or Other Pacific Islander	2.68	1.89	*	*	*	*	1.78
Asian	0.67	0.60	0.59	0.77	0.61	0.72	0.72
Two or More Races	1.67	2.46	2.23	1.97	1.75	2.57	1.33
Hispanic or Latino	0.55	0.40	0.50	0.50	0.47	0.52	0.43

^{*}Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2005-2011.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Major Depressive Episode (MDE) is defined as in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV), which specifies a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of specified depression symptoms.

NOTE: Respondents with unknown past year MDE data were excluded.

NOTE: Estimates for 2005, 2006, 2007, and 2008 are based on an adjusted MDE variable and may differ from estimates published in prior NSDUH reports. See Section B.4.4 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*.

130918

Table 1.66P Major Depressive Episode (MDE) in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2005-2010

Demographic Characteristic	2005	2006	2007	2008	2009	2010	2011
TOTAL	0.9729	0.7813	0.5488	0.7326	0.9803	0.3229	
AGE							
18-25	0.1844	0.5281	0.4461	0.8059	0.4270	0.9205	
26-49	0.6529	0.9465	0.8013	0.4319	0.8101	0.5544	
50 or Older	0.5007	0.4509	0.3907	0.8841	0.8155	0.0807	
GENDER							
Male	0.7004	0.9599	0.9400	0.5790	0.8532	0.3220	
Female	0.8053	0.7113	0.4018	0.9904	0.9356	0.5834	
HISPANIC ORIGIN AND RACE							
Not Hispanic or Latino	0.3558	0.6000	0.9790	0.3991	0.4330	0.6881	
White	0.1725	0.4253	0.9742	0.3630	0.4068	0.9154	
Black or African American	0.5894	0.8049	0.7827	0.7248	0.8826	0.6963	
American Indian or Alaska Native	0.6597	0.6324	0.7506	0.6284	0.7800	0.9064	
Native Hawaiian or Other Pacific Islander	0.1672	0.4675	*	*	*	*	
Asian	0.4347	0.1626	0.1585	0.4064	0.3990	0.8431	
Two or More Races	0.4952	0.1119	0.1640	0.2394	0.3188	0.3889	
Hispanic or Latino	0.0419	0.8215	0.1984	0.3198	0.0474	0.1206	

^{*}Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*).

NOTE: Major Depressive Episode (MDE) is defined as in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV), which specifies a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of specified depression symptoms.

NOTE: Respondents with unknown past year MDE data were excluded.

NOTE: Estimates for 2005, 2006, 2007, and 2008 are based on an adjusted MDE variable and may differ from estimates published in prior NSDUH reports. See Section B.4.4 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: Mental Health Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2005-2011.